

Ways of expanding the production of cheap crushed stone. Put' i put.khoz. 5 no.10:18:19 0 '61. (MTRA 14:10) (Quarries and quarrying)


APPROVED FOR RELEASE: 03/13/2001 CIA-RDP86-00513R000928930001-9"


BATALOV, V., putevoy obkhodchik (st. Matrosovka, Odesskoy dorogi);
OKLOV, G. T., brigadir puti (st. Millerovo, Yugo-Vostochnoy dorogi);
LAZOVATSKIY, G. A., inzh.; VLASENKO, F. F.; BYCHKOV, L. Ia.,
mekhanik (st. Nikel'-Tau, Kazakhskoy dorogi)

Letters to the editor. Put' i put. khoz. 6 no.9:47 '62.
(MIRA 15:10)

1. Zaveduyushchiy masterskimi, st. Nikel'-Tau, Kazakhskoy dorogi
(for Vlasenko).

(Railroads)






LAZOVIC, Dusan, prof.

Educational and methodological training of the teaching personnel in the Military Medical Academy. Vojnosanit. pregl. 20 no.9:573-576 S '63.

l. Vojnomedicinska akademija u Beogradu.

ď



LAZOVIC MILORAD

YUGOSLAVIA/Chemical Technology. Chemical Products and Their I-2

Application. Elements. Oxides. Mineral Acids.

Bases. Salts.

Abs Jour Ref Zhur - Khimiya, No 2, 1958, 5212.

Author Lazovic Milorad

Inst Not Given.

Title Filling of Pyrite Furnaces.

Orig Pub : Kemija u industriji, 1956, 5, No 5, 88-90

Abstract : Calculations and corresponding equations are

proposed for determining the filling of the fur-

nace with pyrite at any point of time.

Card : 1/1

Partial embolic infarcts of myocardium during subacute bacterial endocarditis. Srpski arh. celok. lek. 83 no.4: 502-509 Apr 55. 1. IV Interna klinika Medicinskog fakulteta u Beogradu. Upravnik: Cedomir Plavisic. (ENDOCARDITIS, SUBACUTE BACTERIAL, compl. partial embolic myocardial infarct. (Ser)) (MYOCARDIAL INFARCT, compl. subacute bact. endocarditis (Ser))

LAZOVIC, VERA BOZIKOVIC, Ljubica; LAZOVIC, Vera; JOCIC, Andjelija; PETKOVIC, Darinka 2 Cases of mycotic ansurysms during subacute bacterial endocarditis. Srpski arh. celok. lek. 84 no.4:536-543 Apr 56. 1. IV Interna klinika Medicinskog fakulteta u Beogradu. Upravnik: Cedomir Plavsic. Patoloski Institut Medicinskog fakulteta u Beogradu. Upravnik: Ksenofon, Sahovic. Sudskomedicinski institut Medicinskog fakulteta u Beogradu. Upravnik: Julijana Bogicevic. (ENDOCARDITIS, SUBACUTE BACTERIAL, compl. aneurysm of aorta & splenic artery, case reports (Ser)) (ANEURYSM, splenic artery, in bact. subacute endocarditis, with aorta aneurysm (Ser)) (SPLENIC ARTERY, aneurysm, with aortic ansurysm in bact. subacute endocarditis (Ser)) (AORTIC ANEURYSM, compl. aneurysm of splenic artery in bact. subacute endocarditis (Ser))


KOSANOVIC, Bogdan, prof.dr.; LAZOVIC, Viktor, asist. dr.

The knowledge and treatment of pancreatic pseudocysts. Srpski arh. celok. lek. 82 no.6:819-826 June 54.

1. Hirurako odeljenje Gradeke bolnice u Beogradu, sef prof. dr. Bogdan Kosanovic. (Rad je urednistvo primilo 15.1.1954 god.)

(PANCREAS, cysts pseudocyst, surg.)

(CYSTS pancreas, pseudocyst, surg.)



KOSANOVIC, Bogdan; Djordjevic, Zivota; LAZOVIC, Viktor

Indications for surgical treatment of thyroid gland diseases.

Med. glasn. 10 no.4-5:166-169 Apr-May 56.

1. Hirursko odelenje Gradske bolnice u Beogradu (Upravnik;
B. Kusanovic).

(GOITER, surg.
indic. & statist. (Ser))
(HYPERTHYROIDISM, surg.
same)

STALL OF CONTRACTOR STATE STAT

LAZOVIC, Viktor; NIKOLIC, Miroslav

Lingual carcinoma in a young adult with metastases to tuberculous cervical lymph nodes. Srpski arh. celok. lek. 84 no.5:677-682 May 56.

1. Hirursko odeljenjje Gradske bolnice u Beogradu. Sef: prof. dr. Bogdan Kosanovic. Odeljenje za uvo. nos i grlo Gradske bolnice u Beogradu. Sef: prim. dr. Bozidar Sekulic.

(TONUME, meoplasms, metastases to tuberc. cervical lymph nodes (Ser))

(TUBERCULOSIS, LYMPH NODE, complications, cervical metastases from tongue in tuberc., lymphadenitis (Ser))

Our experience with liver cirrhosis. Med.arh., Sarajevo 14 no.6:103-116 N-D *60.

JEVTIC, Z., doc. dr.; BUCIC, M., prof. dr.; ZEC, R., dr.; LAZOVIC, V., dr. 6 fatal cases in atabrine therapy of taeniasis. Med. glas. 16 no.6/6a:285-287 Je '62.

1. Institut za Sudsku medicinu u Sarajevu (Upravnik: prof. dr. M. Bucic).

(QUINACRINE) (TAPEWORM INFECTION)

SIMIC, B. S.; STOSIC, S.; RAKOVIC, V.; LAZOVIC, Z.; MARKOVIC, R.; NIKOLIC, D.; LALOVIC, O.; DOKMANOVIC, M.

Nutrition and nutritional conditions of female students in the home "Vera Blagojevic". Hemoglobin, total serum proteins and hematocrit as indices of nutritional conditions. Glas. hig. inst. 9 no.3/4:51-57 Jl-D 160.

(NUTRITION SURVEYS) (HEMOGLOBIN) (BLOOD PROTEINS)
(BLOOD CELLS) (STUDENTS)

SIMIC, B. S.; MARKOVIC, R.; STOSIC, S.; NIKOLIC, D.; LAZOVIC, Z.; RAKOVIC, V.; LALOVIC, O.; DOKMANOVIC, M.


Nutrition and nutritional status of students. Some body characteristics resulting from different forms of nutrition. Higijena 13 no.2:113-122 '61.

(NUTRITIONAL SURVEYS) (BODY WEIGHT)
(BODY HEIGHT) (STUDENTS)

LAZOVIC-TEPAVAC, O.

Pathogenesis of the dermoepidermitis. Bul sc Youg 7 no.1/2:9 F-Ap '62.

1. Dermatoveneroloska klinika Medicinskog fabulteta, Sarajevo.



GORODISSKAYA, G.Ya., prof., doktor med. nauk, otv. red.; BLOKHINA, I.N., red.; GUSEVA, V.A., red.; DIKOVSKIY, F.F., red.; ZIMINA, V.S., red.; LAZOVSKAYA, A.L., red.; PEROVA, R.S., red.

[Biochemistry of microbes] Biokhimiia mikrobov; sbornik trudov. Gor'kii, 1964. 427 p. (MIRA 17:12)

l. Gorki. Gor'kovskiy nauchno-issledovatel'skiy institut epidemiologii i mikrobiologii.

LAZOVSKAYA, A.L.

Change in the amoino acid composition of a synthetic medium in the growth of Mycobacterium tuberculosis. Zhur.mikrobiol.epid.i immun. 33 no.5:67-68 My '62. (MIRA 15:8)

1. Iz Gor'kovskogo instituta epidemiologii i mikrobiologii. (MYCOBACTERIUM TUBERCULOSIS) (BACTERIOLOGY--CULTURES AND CULTURE MEDIA)

GORELIK, A.M.; RYBOLOVIEV, R.S.; TANK, L.I.; MOREVA, Ye.V.; LAZOVSKAYA, A.V.

Pharmacology and Toxicology Section of the Leningrad I.M. Sechenov Society of Physiologists, Biochemists, and Pharmacologists. Farm.i toks. 16 no.1: 60-62 Ja-F 153. (MLRA 6:6)

1. VMMA (for Gorelik). 2. Pervyy Leningradskiy meditsinskiy institut (for Gorelik, Rybolovlev). 3. IEM (for Tank, Moreva and Lazovskaya).

(Pharmacology--Societies) (Physiology--Societies) (Biochemistry--Societies)

don't found of her

LAZOVSKAYA, A. V.

"Synergism and Antagonism in the Pharmacological Effects of Potassium Ions and of Tetraethylammonium," Farm. i Tcks. Vol. 16, No. 1, p. 61. 1953

Inst. Exptl. Med., Acad. Med. Sci. USSR.

The exptl. data obtained confirm published material to the effect that there may be antagonism or synergism between K ions and tetraethylammonium (TEA). Antagonism was established in expts on the isolated heart of the frog (O. Levi) and synergism in expts on the isolated straight abdominal muscle of the frog by TEA and guanidine were compared. An outburst of hyperkinesis induced by TEA under the influence of dinitrophenol was detected.

MANOTIOV, S.Ye.; LAZOVSKAYA, A.V.; ORLOV, B.A.

Effect of I-rays emitted from different anodes on the work of an isolated from heart. Dokl. AN SSSR 110 no.2: 305-307 S '56.

1. TSentral'nyy nauchno-issledovatel'skiy rentgeno-radiologicheskiy institut.

(X rays--Physiological effect)


IAZOVSKAYA, A.V.

Sorption capacity of nerve tissues in X-irradiated animals.

Vop.radiohiol. 2:102-109 '57. (MIRA 12:6)

1. Sotrudnik TSentral'nogo nauchno-issledovatel'skogo rentgeno-radiologicheskogo instituta Ministerstva zdravookhraneniya SSSR.

(RADIATION SICKNESS) (NERVES) (SOMPTION)



LAZOVSKAYA, A-V 69 SOV /5435 PHASE I BOOK EXPLOITATION Kiselev, P. H., Professor, G. A. Gusterin, and A. I. Strashinin, Eds. Voprosy radiobiologii. t. III: Sbornik trudov, posvyashchennyy 60-letiyu so dnya rozhdeniya Professora M. N. Pobedinskogo (Problems in Radiation Biology. v. 3: A Collection of Works Dedicated to the Sixtleth Birthday of Professor M[ikhail] N[ikolayevich] Pobedinskiy [Doctor of Medicine]) Leningrad. Tsentr. n-issl. in-t med. radiologi1 M-va zdravookhrananiya SSSR, 1960. 422 p. 1,500 copies printed. Tech. Ed.: P. S. Peleshuk. PURPOSE: This collection of articles is intended for radiobiologists. COVERAGE: The book contains 49 articles dealing with pathogenesis, prophylaxis, and therapy of radiation diseases. Individual articles describe investigations of the biological effects of radiation carried out by workers of the Central Scientific Research Institute for Medical Radiology of the Ministry of Public Health, USSR. [Tsentral'nyy nauchno-issledovatel'skiy institut meditsinskoy radiologii Ministerstva zdravookhraneniya SSSR] during 1958-59. The following Card 1/10

4.0				1 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
نداء للثا			ļ	
İ		4.14		
- 1	•	£ 69	!	
•			ì	\mathfrak{D}
- !	•		Į	
i.	S07/5435		l l	
Ì	Problems in Radiation Blology (Cont.)			į.
	down a modification: th	e	;	l l
1	topics are covered: various aspects of primary effects of radiation, to course of some metabolic processes in animals subjected to ionizing radiation disc	ation;	i	-
•	course of some metabolic processes in animals subject to the tradiation discreations in irradiated organisms; morphologic changes in radiation. Some	and,	•	
- 1	reactions in irradiated organisms; morphologic changes in irradiation. Some and reparation and regeneration of tissues injured by irradiation. Some and reparation and regeneration of experimental medical tres	tments.	,	Ţį
	and reparation and regeneration of tissues injured by interest and reparation and regeneration of tissues injured by interest medical tres	articles.	!	
į	articles give attention to the effectiveness of experimental and of the No personalities are mentioned. References accompany almost all of the			
			`.	
	TARLE OF CONTENTS:	3		
	Foreword	. 2		
	A T Straghinin, Professor Mikhail Nikolayevica	e		
	Gusterin, G. A., and A. I. Stradithand Pobedinskiy (Commemorating his Sixtieth Birthday)	5	•	
	Pobedinskiy (volument states and states and states and states are states and states and states are			
	Lebedinskiy, A. V. [Member, Academy of Medical Sciences USSR],		;	
	T ANTACHANONIO, RILL VA MA AMOUNT	n	ļ	
	Zedgenidze, G. A., [Member, Academy of Medical Sciences USSR], Ye. A.		:	
	Zedgenidze, G. A., [Member, Academy of Medical Statetes tourn, in the Zherbin, K. V. Ivanov, and P. R. Vaynshteyn. Hormonal Activity of the Zherbin, K. V. Ivanov, and P. R. Vaynshteyn and the Effect of Desoxy-		į	
	Administration of the second s	17		
	corticosterone Acetate on the Disease		i	
	Card 2/10		:	
	Card 2/10			
	Company of the Compan			
	·			
		- 1		: (
i de la composition della comp	ranger et en	TOTAL PROPERTY.		
P3:03				

	1. 10.00 (1995) \$2.00 (1995) \$		行者的自然是這個個個問題	是政府的共和的政策	第三日本語
				l	
				. (
			7		
, 1			,	ĺ	
i i				. 1	
ł	. Problems in Radiation Biology (Cont.)	SOV/5435		,	
		d the		•	
	Cherkasov, V. F. Reactions of the Cardiovascular System an Respiration of Irradiated Animals to Some Functional Factor	8	35	į	
{					
į	Bryukhanov, O. A. Concerning the Problem of Depressant Rea	ctions	կկ		
	in Radiation Sickness		• • •	•	
	Lazovskaya, A. V. Effect of Strophanthin on the Heart of		r 0	•	
1	Irradiated Animals		50		
	Shitova, Z. I., and Ye. I. Komarov. On the Reflex Mechanis	m of		•	
\$	the Change in Oxygen Absorption by Intestinal Tissue During	Local			
	Irradiation With Radioactive Strontium		55	•	
i	Remizova, I. V. On Some Features of Functional Changes in	the		4. •	
	Nervous and Blood System During Repeated Small-Dose Irradia	ation	61		
				Ì	
	Traskinova, N. V. Effect of Blocking the Sympathetic Subdof the Vegetative Nervous System on the Development and Con	urse of			
	Acute Radiation Sickness		68	:	
				1	
•	Card 3/10			,	
į					100
		and the second		:	
				,	
- L	man and amendation are interpreted in the common common to a majore improved property of the section of the common company.			- ,	
					·
		i Grandenski province	Taken again a garage	X,	

Influence of Ionizing Radiation on Processes of Chollergic Stimulation

A. M. Hurson, G. A. Beldinkov, A. V. Launding.

G. N. Alkivira and V. I. Stondinglia

The Influence of Ionizing radiation was studied on processes of chollergic stimulation in various links of the refer are the central nervous vestoric vereint in genome, neuronascular ynapses in animals exposed to usely such different tests and methods felectro-exceptiolography, determination of the summation of nervous imputes, record of contraction in the usual intentes and shotters detectal music, determination of chollergeras activity and cellular reprincion afficiency when using pharmacological agents and entyme pointmy, exception and entities to inchempers trusture resolution from the functional ability of the chollergic structure and appropriate and entyme pointmy.

The character and horst anneathetic substances.

These change have a phasic character and they depend on the functional ability of the chollergic structure and the summation of the structure and the summation of the summation of the structure and the summation of the summ

S/219/63/055/002/003/004 D296/D308

AUTHOR:

Lazovskaya, A.Y.

TITLE:

Local anesthesia in animals exposed to radiation

PERIODICAL:

Byulleten' eksperimental'noy biologii i meditsiny, v. 55, no. 2, 1963, 63-67

The author studied changes in the effect of superficial (terminal) conduction and infiltration anesthesia in animals TEXT: exposed to ionizing radiation. In the experiments with superficial (terminal) amesthesia 10 rabbits were exposed to total irradiation with 100 r of X-rays. The effect of a local anesthetic (0.5% dicain) upon the sensitivity of the cornea was tested 1-2 hours, 1 day, 3, 5 and 7 days after irradiation, as well as in the nonirradiated conditrol group. The sensitivity of the cornea was assessed by the number of times a thin hair had to touch the cornea to cause blinking. It appeared that 1-2 hours after the irradiation the efficacy of anesthesia increased by 40% but 1 day after the irradiation the effect was 25% lower than in the control group. At later stages Card 1/3

S/219/63/055/002/003/004 D296/D308

Local anesthesia ...

(3-7 days) no difference between the groups could be found. The author explains the above findings by means of the direct effect of the radiation upon the corneal nerve exings. In the experiments concerning conduction anesthesia, the sciatic nerves of 88 spinal frogs (Rana temporaria) were stimulated by electrical current. The effectiveness of a 0.1% novocaine solution was assessed by the intensity and duration of the general motor response to stimulation. The live frogs were exposed to 5000 r of X-rays and the experiments were carried out 1-3 hours, 1 day, 3, 7 and 15 days after exposure to radiation. Here too, the local anesthesia was more effective after radiation, suggesting a direct influence of the radiation upon the sensory nerves, an influence which hitherto has been shown to exist only for fatal doses of radiation. In the experiments with infiltration anesthesia guinea pigs were exposed to X-rays, in a dose of 350 r. The effects of local anesthetics (novocaine, bencaine, mesocaine) were assessed by the number of times the infiltrated area had to be pricked with a sharp needle to elicit the skinmuscle reflex. In this case radiation decreased the efficacy of local anesthesia. This is explained with the increased tissue per-

Local anesthesia ...

S/219/63/055/002/003/004 D296/D308

meability leading to a more rapid resorption of the drug, a view corroborated by signs of general intoxication. There are 1 figure and 2 tables.

ASSOCIATION:

Otdelenie eksperimental'noy terapii (rukovoditel'Prof. A.M. Rusanov), Tsentral'nogo nauchno-issledovatel'skogo instituta meditsinskoy radiologii (Director - zasluzhennyy deyatel' nauki Prof. M.N. Pobedinskij) Ministerstva zdravookhraneniya USSR, Leningrad (Department of Experimental Therapy (Director:
Prof. A.M. Ruzanov), Central Research Institute of
Medical Radiology (Director: Prof. M.N. Pobedinskij,
Merited Scientist) Ministry of Health of the USSR,
Leningrad)

PRESENTED:

by Academician A.V. Lebedinskiy

SUBMITTED:

February 4, 1961

Card 3/3

GRYAZNOV, N.S.; LAZOVSKIY, L.M.; FEL'DBRIN, M.G.; KAUFMAN, A.A.; KOMAROVSKAYA, G.M.; LATSKAYA, M.P.; IVANOVA, L.V.


Peculiarities of the process of coking coal with oil additions. Koks i knim. no.16:17-22 161. (MIRA 15:2)


1. Vostochnyy uglekhimicheskiy institut. (Coke industry)


GRYAZNOV, N.S.; LAZOVSKIY, I.M.; FEL'DERIN, M.G.; IVANOVA, L.V.;
KOMAROVSKAYA, G.M.


Standardization of methods of coal preparation for coking.
Koke i khim. no.4:3-9 '62. (MTRA 16:8)


1. Vostochnyy uglekhimicheskiy institut.
(Coal preparation)






















IAZOVSKAYA, N. V.

"Investigation of the Flow of Feat in Conical Nozzles,"
Thesis for degree of Cand. Technical Sci. Sub. 39 June 57,
Moscow Peat Inst.

Summary 71, 4 Sep 52, Dissertations Presented for Degrees in
Science and Engineering in Moscow in 1959. From Vechernyaya Moskva
Jan-Dec. 1950





84279

S/069/60/022/005/010/011 B004/B064

II.VVID

Lazovskaya, N. V.

TITLE:

The Work of the Subsection of the All-Union Congress on

Mechanics

PERIODICAL:

Card 1/4

Kolloidnyy zhurnal, 1960, Vol. 22, No. 5, pp. 643-647

TEXT: The pervyy Vsesoyuznyy s"yezd po teoreticheskoy i prikladnoy mekhanike (First All-Union Congress on Theoretical and Applied Mechanics) was held in Moscow from January 27 to February 3, 1960. It was convened by the Natsional'nyy komitet SSSR po teoreticheskoy i prikladnoy mekhanike (National Committee of USSR of Theoretical and Applied Mechanics), the Otdeleniye tekhnicheskikh nauk Akademii nauk SSSR (Department of Technical Sciences of the Academy of Sciences, USSR), and the Moskovskiy gosudarstvennyy universitet (Moscow State University). The Congress worked in three sections: Section of General Applied Mechanics, Section of Mechanics of Cas and Fluid, Section of Solid State. The Subsection of Rheology headed by M. P. Volarovich belonged to the latter. Forty reports were delivered in this subsection, dealing with the rheological properties of easily

84279

The Work of the Subsection of the All-Union Congress on Mechanics

S/069/60/022/005/010/011 B004/B064

deformable substances as, e.g., disperse systems and macromolecular compounds. M. P. Volarovich mentioned in his opening speech a paper by N. I. Malinin (Kolloidnyy Zhurnal, 1955, Vol. 17, No. 4, p. 332), the Third International Congress on Rheology 1958 in Marburg at which the Soviet researchers N. V. Mikhaylov, G. V. Vinogradov, A. A. Trapeznikov, and Yu. A. Daynega took part, and the meeting of the International Committee on Rheology. The following reports were delivered in the subsection: P. A. Rebinder, "Types of Macromolecular and Disperse Structures and the Mechanical Properties Characteristic of Them"; G. V. Vinogradov and V. P. Pavlov, "The Principa! Mechanical Properties of Consistent (Plastic) Lubricants as Solids" G. V. Vinogradov, A. A. Mamakov, and V. P. Pavlov, "Investigation of Soft Plastics in a Composite State of Stress". N. V. Mikhaylov reported on the deformation of visco-plastic materials, G. M. Bartenev on rheological properties of rubber-like polymers A. A. Trapeznikov and T. G. Shalopalkina on experiments carried out with aluminum naphthenate gel. T. V. Assonova, T. I. Zatsepin, and A. A. Trapeznikov delivered a report on "The Shearing Strength and the Ultimate Reversible Deformations of the Solutions and Gels of Some Rubbers".

Card 2/4

0

s/069/60/022/005/010/011 91.079 The Work of the Subsection of the All-Union BOO4/BO64 S. S. Vyalov spoke about deformation of ice based upon work performed in the Antarctica; S. Ye. Fraynfel'd dealt with a simplified rheological Congress on Mechanics equation; No I. Malinin with creeping deformations due to rupture of the equation; No. 10 Malinin with creeping deformations due to rupture of the molecular chains of high-polymers; To. Do. Shermergor reported on the mechanical deformation of missing bodies. anical deformation of visco-elastic bodies; A. A. Abbasov, A. F. Kasimov, and Ya. A. Shvarts on consecutive motion of immiscible visco-elastic fluids; A. A. Abbasov, V. M. Mekhtiyev, and A. A. Mirzoyan treated the problem of the motion of viscous and visco-elastic fluids in tubes, which proofem of the motion of viscous and visco ported on some problems of the unsteady flow of an incompressible visco-elastic Maxwellian fluid. A. I. Leonov and M. D. Nusinov spoke about some problems of quasistationary flow of Maxwellian fluid. G. T. Gasanov and S. G. Curbanov studied hydrodynamic problems of the unsteady flow of viscous and visco-elastic fluids; I. M. Astrakhan investigated the motion of visco-elastic fluid on the boundary layer. G. I. Fuks, V. P. Pavlov, and V. V. Vaynshtok delivered reports on visco-elastic flow, and thixotropy of structured systems, above all of lubricants. Yu. M. Ivanov spoke about the strength of polymers as a function of time IU. M. Ivanov spoke about the strength of polymers as a function of vime and temperature; V. V. Andreyev, A. M. Kosevich, and L. V. Tanatarov on inelastic and residual deformations of a plane layer of a solid in allowing and allowed allow Card 3/4

The Work of the Subsection of the All-Union Congress on Mechanics

84279 \$/069/60/022/005/010/011 B004/B064

tropic transformations. Problems of the equilibrium in elasto-plastic media between solid boundaries were dealt with by A. M. Gutkin, M. P. Vclarovich, and A. Kh. Kim; N. V. Tyabin studied the flow of an elastic visco-plastic medium on the boundary layer. F. S. Fadeyeva spoke about deformation of ceramics; V. V. Vedeneyev about the flow of bitumens, R. V. Torner about the application of the similarity principle for calculating the isothermal flow of rubber mixtures. M. V. Gzovskiy, I. Ya. Kuznetsova, and D. I. Osokina reported on the application of optical polarization for the study of tensions. N. V. Lazovskaya dealt with the investigation of the deformation of drains with X-rays. Yu. I. Kosterin and I. V. Krageliskiy studied rheological processes in dry friction; S. V. Levi reported on rheological properties of gelatin; A. Ye. Desov's report dealt with the propagation of vibrations in concrete; S. K. Noskov treated the viscous behavior of elastic-plastic-viscous materials during vibration. M. P. Volarovich, G. Ya. Voronkov, Ye. P. Kovalevskiy, and G. I. Kuzhman reported on the rate of propagation of longitudinal waves in peat; B. A. Dogadkin on the chemical relaxation of stress in steric polymers. In conclusion, it is mentioned that for some special cases solutions of the Hencky (Genki) - Il'yushin equations have been found, and pointed out to some problems hithertc unsolved. Card 4/4

LAZZYCHAYA O. ".

cor. h8

USSE/Engineering

Blaring - Lubrication

Engines, Aircraft - Cold Weather Operation

"Application of the Hydrodynamic Theory of Friction for Bearing. Operating Under Low Temperatures," M. P. Volkrovich, O. V. Lazovskaya, Inst Mach Etudies Acad Sci USER, 57 PP

"Iz Ak Mauk SSSR, Otdel Tokh Mauk" No 10

Low bearing temperatures are encountered when starting automobile and aero engines in winter. Experiments show that hydrodynamic theory of bearing lubrication holds good for auto oils down to-30°. Includes five diagrams and one table. Submitted & July hc.

PA 21/47T35

WOLAROVICH, M.P., LAZOVSKAYA, O.V.

"Studies of Friction in a Pair of Cylindrical Bearings at Low Temperatures"

Symposium no. 4, "Friction and Wear in Machines"

Academy of Sciences, 1949

THASE I BOAN EMPLIFICATION 1959. Oldrodinastoneiny feorists assay. Oldrodinastoneiny feorists assay. Oldrodinastoneiny feorists assay. Oldrodinastoneiny feorists assay. Defined. Spannast. Spannast. Spannast. Spannast. Spannast. The Barity and State in Thody. V. Barity instruct Spannast. Spannast. The Collection and Lands are the State in State in State in State in The State in State in Thody. V. Barity instruct Spannast. Spannast. The Collection of Mary Professor, Dector of Technolic and State in State in Mary Professor, Dector of Technolic and State in State in Mary Professor, Dector of Technolic and State in State in Mary Professor, Dector of Technolic and State in State in Mary Professor, Dector of Technolic and State in State in Mary Professor, Dector of Technolic and State in State in Mary Professor, Dector of Technolic and State in State in Mary Professor, Dector of Technolic and State in State in Mary Professor, Dector of Technolic and People in State in Mary Professor, Dector of Technolic and People in State in Mary Professor, Dector of Technolic and People in State in Mary Professor, Dector of Technolic and People in State in Mary Professor, Dector of Technolic and People in State in Mary Professor, Dector of Technolic and People in Mary Professor, Dector in Mary Professor, Dector in Mary People in Mary Peop	1	50	ъ. Зф.	Smarka ation. Gasow, copies	ovedenlya. rication of Tech- of Tech- of Tech- itor of	ıcticing	mishino- si, Academy e III shinakh in Machineth in Machineth in and sow/5055	AN 150			n- 165	and num 172	rova. bri- 177	181	191	198	nd 201	212	218		
THASE I BULY EXPLUIT. ** Gid-odinamicheskays teoriya sazzid. ** i sanzochnya sazzid. ** Sing banings. ** Aszings. **	The same of the sa		i iznosu v mashinakh.	Opery skel thenlys. His Theory of Lubrice bricant Materials W ip inserted. 3,900.	Institut mashin ynamic Theory of Lub Professor, Doctor y, Professor, Doctor Section, Lubication adow, Professor, Doc	is intended for pra	by the Institut mashino- lience of Machine, toademy presented at the III yu i Iznosu washinaku Letton and Wear in Machinel Problems discussed were in Problems Carenton and	ä	BRICANT MATERIALS	is and Mear	s of Producing and Ir	L. N. Sentyurikhina, Disulride of Molybder	aya, and V. V. Arkhal Character of Gaseous ties of Petroleum Lui	Wear as a Factor in	, N. T. Paylovskays, tant and Antifriction	ey, Abrasive Wear of a Lubricant Material	Critical Temperature of Steel Surfaces, and	ermining the Critical Case of Priction of	eactions of Sulfur- Lubricant Oils	· Charles access on	
Tabasournays 1959. 1959. 1959. 1959. 2140-0 AN printed. 2119 Bearing and 315p and 31		۲ŧ	konferentsiya po treniyu	seskays teoriya smazki. yye msterialy (Hydrodyna ings. Lubrication and Lu SSSN 422 p. Errata al (Series: Its: Trudy, v	Fency: Akademiya nauk SS For the Section "Mydrod Bearings": Ye. Dur'ya nnce: and A. E. Dyrchk nnces: Rep. Z. C. Tor the Macrall? G. V. Vinog; Pacances; Cd. of Pholish 10, M. Oue kow.	t lon	he collection, published AN SSR (Institute of So as USSR) contains papers as konferentalys po trei lumino Conference on Fri held April 9-15, 1958.	frentye 1	II. LUBRICATION AND LUI	Imbricant Materia	i. G. V. Some Men Methodi g Lubricant Materials	kina, Ne. M. Oparina, kina, Experiment Using cant Material	the Composition and the the West-Resistant Froper	S. V. Contact Effect in	Berborod'ko. Wear-Resist of Salt Pusions	r V A and V. Q. Lebed	I., and G. I. Kichkin, Film in Sliding Contact sive Capacity of the Oil	o Y Methods for Detes of an Oll Film in the nat Antifriction Alloys	0. Ye. Mear-Resistant R Depounds as Additives to	the second secon	c
	•		Vacaoyuznaya 1958.	didrodinamich 1 smarochn 511p Bearl 1rd-vo Am	Sponsoring Ages of the State of State o	FURTOSE: The	COVERAGE T THE STATE OF SCIENCE TRACE AND WAS THE WASTON OF SCIENCE THE STATE OF SCIENCE THE STATE OF SCIENCE THE SCIENCE OF SCIENCE THE SCIENCE OF	Korovch, ne s Bearing			Winogradov vestigatin	Al ahits, L. W. Sush as a lubri	Berborod'k Mffect of Media on t	Tintsel the Oxidat	Winogrador and M. D. Properties	Wishnyakov Roller Bes	Klimov, K. of an Oil the Disper	Inscribing Temporatur Steel Agel	Morozova, organic Co	- Free	

S/081/61/000/019/070/085 B117/B110

11.9000

Lazovskaya, O. V.

TITLE

AUTHOR &

Method for determining the critical temperatures of the oil film during friction of steel on antifriction alloys

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 19, 1961, 426, abstract 19M207 (Tr. 3-y Vses. Conferentsii po treniyu i iznosu v mashinakh. M., AN SSSR, v.3, 1960, 212-217)

TEXT: A method has been developed for determining the critical temperatures of the oil film on antifriction alloys during friction of the latter with steel. The proposed friction scheme "ball of hardened steel -- ring-shaped sample of antifriction metal" guarantees constant specific pressure in the surface contact during the test. Tests according to this scheme were carried out on a 4-ball machine type KF-2 (KT-2). During the following rise in temperature, the upper ball and the lower sample were not exchanged (prior to the test, the samples were kept for 1 hr in the oil to be tested). According to the method described the critical

S/081/61/000/019/070/085 B117/B110

Method for determining the critical ...

temperature of the vaseline oil, comprising an additive of stearic acid and lubricant A4-70 (AF-70) of 0.1%, was determined with sufficient reproducibility of results on a number of copper alloys subjected to friction with steel. The scheme of the working unit of machine KT-2 is given. [Abstracters note: Complete translation].

(中),这个小时,但是这种的现在分词,但是是有关的,我们是是是一种的人,就是是一种的人,我们是是一种的人,也是是一种的人,也是一个人,也是一个人,我们就是一种的

B

Card 2/2

A procedure for determining the ...

S/883/62/000/000/017/020 E194/E155


friction of copper alloy against copper alloy, up to 40 kg/cm². The critical temperature falls somewhat at higher specific pressures, presumably because of plastic strain in the surface layer of the softer of the two materials in contact, causing local breakdown of the lubricant film. There are 6 figures.

Card 3/3

KHRUSHCHOV, M.M.; SEMENOV, A.F.; MATVEYEVSKIY, R.M.; LAXOVSKAYA, O.V.; BELOUSOV, N.N.; KOLESNIKOVA, V.S.


Investigating lubricated and nonlubricated friction of antifriction bronzes and brasses. Tren. i izn. v mish. no.17:36-70 162. (MIRA 17:10)


CIA-RDP86-00513R000928930001-9 "APPROVED FOR RELEASE: 03/13/2001



CIA-RDP86-00513R000928930001-9" **APPROVED FOR RELEASE: 03/13/2001**

		ò	Million about the state of the
I. 2569-66 ACCESSION NR: AT5022685			
inert gas pressurization system, and a ment. A number of MoS Mand graphite be inless were tested in argon and in a vac constant load of 7.43 kg and a constant argon organic bonding materials (K-41) before the friction coefficient rose dieffective to 500C. In a vacuum (≈ 10-(galvanic silver) gave best results (st bonding materials detariorated after ≈ after decreasing steadily between 20 an ASSOCIATION: Nauchnyy sovet ro treniyu Friction and Lubrication, AN JSR)	speed of 1/3 rpm. I K-43, K-55) permitted rastically. Sodium si 4 mm Hg), MoS ₂ with a ill good at 700C, f ≈ 500C, i.e., f started	range of 20-700C at t was found that in operation to 600C licate bonding was on metallic bonding 0.09), while other	r- a
10,000			
NO REF SOV: 003	ENCL: 01	SUB CODE: FF	
	OTHER: 005	ME	
Card 2/3			





L 03770-67

other in tetrahedral formation under three types of conditions: 1. solid lubricant only on the upper sphere with uncoated lower spheres; 2. a lubricating layer on the lower spheres with an uncoated upper sphere; 3. all four spheres coated. The proposed method may be used for determining the effect of various technological factors on the antifriction properties of solid lubricant coatings under conditions of high contact pressures at various temperatures. It was found that the most effective surface treatment for steel operating under friction conditions in air is parkerizing or sandblasting followed by parkerizing before coating with lubricant. Sandblasting is the preferable surface treatment for steel to be used under vacuum friction conditions. Parkerizing after sandblasting in the e conditions impairs the strength of the lubricant coating at temperatures above 100°C. Variations in coating thickness between 5 and 15 microns has practically no effect on the coefficient of friction. Minimum binder concentration gives a minimum coefficient of friction for coatings of this type at room temperature. A coating based on molybdenum disulfide with silicone binder/gives a low coefficient of friction in vacuum (10 mm Hg) up to 600°C. Orig. art. has: 6 figures.

SUB CODE: 1140 SUBM DATE: 29Jun65/ ORIG REF: 003

Card 2/2

SOURCE CODE: UR/0380/67/000/001/0108/0115 (A) ACC NR: AP7003636

AUTHOR: Matveyevskiy, R. M. (Moscow); Lazovskaya, O. V. (Moscow)

ORG: none

TITLE: Temperature stability of antispalling coatings and protective layers in

friction in various gas media

SOURCE: Mashinovedeniye, no. 1, 1967, 108-115

TOPIC TAGS: metal friction, antifriction material, antisiere additive, antifriction coating, coating thermal stability, coating friction coefficient, contact stress, protective coating, silver, cadmium, copper, thermal stability
ABSTRACT: The Wear Resistance Laboratory at the Institute of the Science of

Machines has investigated the antifriction properties and behavior of various protective and antispalling coatings in friction under high contact loads at a sliding velocity of 0.01 cm/sec and temperatures ranging from 20 to 700C in a vacuum of 10^{-4} — 10^{-5} mm Hg or in an inert gas under a pressure of 1.1 atm. The friction was produced by rotating a ball of ShKh-6 ball-bearing steel 8 mm in diameter on top of three fixed identical balls. The rotating ball had a coating from various antifriction and antispalling materials, while the fixed balls had none; the contact load between the rotating ball and each fixed ball was 1.43 kg. Silver coating was found to have the lowest friction coefficient

UDC: 620.162.4

CIA-RDP86-00513R000928930001-9"

APPROVED FOR RELEASE: 03/13/2001

in the widest temperature range: from a value of 0.25 at 20C, it gradually AP7003636 decreased to 0.08 at 500-550C and then sharply increased again to 0.25 at 700C. Cadmium coating had a constant friction coefficient of 0.22 in the 20-200C range, but it increased sharply to 0.32 at 250C. The temperature-induced changes in the friction coefficient of the copper coating were analogous to those of the silver: a gradual increase from 0.4 at 20C to 0.12 at 550C followed by an increase to 0.14 at 700C. The nickel coating had a friction coefficient of 0.4-0.6 and exhibited intermittent sliding in the entire investigated temperature range. The friction coefficients of molybdenum disulfide film over silver, copper and nickel coatings decreased to 0.07-0.1 in the 20-500C range, and that of cadmium coating to 0.1 at temperatures up to 200C. An MoS₂-base VNII NP-229 coating (sodium silicate film-forming agent) and a VNII NP-213 coating (silicoorganic film-forming agent) had a friction coefficient of about 0.012 at 20C, which slowly decreased to about 0.005 at 500C; the coatings failed at temperatures above 500C and 600C, respectively. Soft protective coatings on steel formed by parkerizing or sulfiding ensure friction coefficients of the order of 0.15-0.25 in vacuum at temperatures up to 500C; at higher temperatures, the coatings decompose. Electroless nickel plating of steel ensures in vacuum a friction coefficient of 0.3-0.4 at temperatures up to 300C; at higher temperatures the friction coefficients increase sharply. Borided layers on hardened steel had particularly stable friction coefficients (about 0-2) in vacuum in the entire 20-700C range.

Card 2/3

ACC NRI

	A borided perature- l table.	l layer on an dependent fr	nealed ste	el had higher b fficients., Orig	ut significa ;. art. has:	ntly more tem- 8 figures and [MS]
SUB CODE:	11, 13/ : 5115	St 'M DATE:	27Nov66/	ORIG REF: 010	/ OTH REF:	008/
•.		÷				
ard 3/3						


·	L 9455-66 EWT(m)/EWP(j) RM	
	ACC NR: AP5025011 SOURCE CODE: UR/0286/65/000/018/00/5/00/5	
:	AUTHORS: Takhtarov, G. N.; Trofimovich, D. P.; Gerlakh, L. R.; Podshibyakina, G. S.;	
1	AUTHORS: Takhtarov, G. N.; Irolimovich, D. I., V. M.; Kalachev, V. A.; Mayorov, D. A. Zaborina, N. B.; Lazovskaya, R. A.; Yefimov, V. M.; Kalachev, V. A.; Mayorov, D. A.	
	ORG: none	Įų.
	TITLE: Foam generator for an installation for continuous mixing and foaming of latex	,
	TITLE: Foam generator for an installation for mixtures. Class 39, No. 17391115 announced by the Scientific Research Institute for mixtures. Class 39, No. 17391115 announced by the Scientific Research Institute for mixtures.	
	Rubber and Latex Products (Nauchno-issledovatel'skiy institut rezinovykh i lateksnykh izdeliy)	
	•	
	SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 16, 1965, 75	
	TOPIC TAGS: foam generator, latex foamer, latex mixer, SYNTHETIC RUBBER,	
	AUSTRACT: This Author Certificate presents a foam generator (see Fig. 1)	
	Fig. 1. 1 - Rotor; 2 - stator; 3 - seals; 4 - body;	
	5 and 6 - nuts.	
	Acate parent and the same of t	
	UDC: 678.021.1:621.187.115	j


ciudes sks wi tween lity a	an elect th concen the circu nd capaci	ric drive tric circu lar teeth ty while d	on the she lar teeth mounted or lecreasing	ift of which on both sin stator dis the physica	h is mou des which sks. To	latex mixtu nted a roto h fit into increase to the rotor	r in the the clear he foamin	form of rances of capa-	
шацу-	sectioned	alsmounts	ible disk r	ackets mon	ntad thro	ough rotary	Reals 1	nside a	
		UBM DATE:				_			
	÷.							•	
					·				
							٠		
							•••		<u> </u>

	/AFWL/ASD(a)=5/AFDC(b) ON NR: AP4046352		5/0057/64/034/010/1	879/1887
AUTHOR:	Tumakayev, G. K.;	Lazovskaya, V.	R.	
by obser	vation of Rozhdest	e state of mero	ury vapor in a sho	ck tube
SOURCE: 1879-188	Zhurnal takhaichea 7	koy fiziki, v.		
TOPIC TA	GS: shock wave fro mics, mercury, Rozh	nt, shock wave destvenskly hoo	thermodynamics, she method	ock tube
place fo	Determination of id ions) and electroristion on the dynamical and the idea. The idea of th	mics of the phy	raical proper	d value
in front	of and behind a shoot	lions on the 6s	1So and 6p ³ P ₀ , 1, 2	of the levels
was essen	961). The experimentially modified; a n	utal setup, des ew low-pressure	cribed in the cite	d paper.
Card 1/3			andmost consistin	gafa

L 10409-65 ACCESSION NR: AP4046352 stainless-steel cylinder 3.5 meters long and 73 mm in diameter was installed. The length of the high-pressure section was 2 m. A DFS-8 spectrograph and twin cameras were used to obtain the interference patterns; these were photographed by the light of one flash from an improved flash lamp. The level populations were determined by observation of the Rozhdestvenskiy "hooks" (inflections or "hooks" in the interference bands). Measurements were carried out in the Mach-number range from 6 to 10.5. Some of the results are presented in the form of graphs: plots of N/N ratios as a function of distance from the shock-wave front and as a function of Mach number. The variation in these parameters is indicative of the complex nature of the various processes that occur in lig vapor incident to passage of a shock wave. It was found that in Hg vapor there is abundant population of the 6p3Po,1,2 levels in the region shead of the wave front. At the wave front the concentration of normal and excited atoms increases by an amount corresponding to compression of an ideal monatomic gas. Two regions of the nonequilibrium zone in the flow behind the shock wave may be distinguished; in one, the departure from ideal gas behavior is minor; in the other, thermodynamic equilibrium is established almost instantaneously; ionization and excitation of electron

ASSOCIATION: Fiziko-tekbnicheskiy institut im. A. F. Ioffe AN SSSR, Leningrad (Physicotechnical Institute, AN SSSR) SUBMITTED: 25Nov63 ATD PRESS: 3119 ENCL: 00 SUB CODE: HE NO REF SOV: 008 OTHER: 006	tribution of the partical are grateful to Prof. I	ously. Strong cooling of lum zone is observed. He cles over energy levels i fu. A. Dunasy for his att M. Zubkov for assistance ing out the experiments.	re a Boltzmann dis- s observed. "The autho ention and his intere
SUBMITTED: 25Nov63 ATD PRESS: 3119 ENCL: 00	ASSOCIATION: Piziko-te	khnicheskiy institut im.	A. F. Loffe AN SSSR.
SUB CODE: HE NO REF SOVE COS OTHER! OCC		LACOR TOP CECUEUR UN SOSKE	
. 🚺 - 🗎 - 📗		10.4 (4.5) 11. (1.5)	지축하는 그 그 그 그 그는 그 그 그 그 그 그 그 그 그 그 그 그 그






IAZOVCKIY, I. N.

"Development of New Methods of Evaluating he Qualities of Coke." Fin Higher Education USSR. Ural'sk Polytechnic Inst imeni 3. N. Kirov, Sverdlovsk, 1953 (Dissertation for the Degree of Candidate of Technical Sciences)

SO: Knizhnaya Letopia', No. 32, 6 Aug 55



LAZOVSKIY, I.M., kandidat tekhnicheskikh nauk; ZABRODSKIY, M.P., inzhener; KAPEL ZON, I.G., inzhener.

Efficient layout of the preparation unit in a modern coke plant. Koks i khim. no.1:8-11 '56. (MLRA 9:5)

1. Vostochnyy uglekhimicheskiy institut (for Lazovskiy); 2. Nizhniy Tegil'skiy koksokhimicheskiy zavod (for Zabrodskiy); 3. Magnitogorskiy metkombinat (for Kapel'zon).

(Coal preparation)

LAZOVSKIY, I.M.; DONDE, M.V.; P'YANKOV, Ye.A.

Averaging coals and blended charges in the piles and in the preparation section of the copruct coke plant. Koks i khim.no.2:12-17 '56.

1.Vostochnyy uglekhimicheskiy institut (for Lazovskiy).2.Chelyabinskiy metallurgicheskiy zavod.


(Coal handling)

LAZOVSKIY, I.M.; VARSHAVSKIY, T.P.; HEPOMNYASHCHIY, I.L.; GERASIMOVA, L.S.

Comments on the article of R.Z.Lerner "Changing the coking unit layout for a considerable increase in the number of ovens per battery." Koks i khim.no.7:28-31 '56. (MLRA 9:12)

1. Vostochnyy uglekhimicheskiy institut (for Lazovskiy and Varshavskiy). 2. Konstruktorskoye byuro Glavmashmeta Ministerstva chernoy metallurgii (for Nepomnyashchiy). 3. Glavkoks Ministerstva chernoy metallurgii SSSR (for Gerasimova).

(Coke ovens) (Lernor, R.Z.)



CIA-RDP86-00513R000928930001-9 "APPROVED FOR RELEASE: 03/13/2001

Iazovskiy, I.M., Fel'dbrin, M.G. and Gryaznov, N.S. (Vukhin).

Coking of blends prepared by differential grinding. AUTHOR: TITIE:

(Koksovanie ugol'nykh shikht, podgotovlennykh metodom


izbiratel'nogo drobleniya.)

"Koks i Khimiya" (Coke and Chemistry), 1957, No. 4, pp. 8 - 12, (U.S.S.R.) PERIODICAL:

ABSTRACT:

Seven different schemes of grinding coal for coking were investigated. The first four schemes (Fig. 1) were simple schemes related to normal grinding (93 ± 1% of below 3 mm): scheme 1 - standard; 2 consists of separating the size 3 mm; 3 - separation of the size 3 mm and its regrinding and return to the blend; and 4 - separation from coal - 3 mm size and standard grinding of larger sizes and their subsequent remixing.

Three remaining schemes (Fig. 2) differ in that intermediate sizes (4-2 mm or 6-3 mm) are separated and then finely ground. Moreover, scheme 7 differed from others in that only diluting coals were differentially ground while the remaining part of the blend is ground in the usual manner. Coking of the experimental blends of three different compositions (Table 1) was carried out in a pilot plant (VUKhIN). Results of the coking experiments are given in Table 2. The best results were obtained using 5 and 6 schemes, the strength of the coke increased and the proportion of 80-60 mm size in the metallurgical coke increased by 3-7%. Blends made from petrographically



68-58-3-1/22 Fel'dbrin, M.G., Gryaznov, N.S. and Lazovskiy, I.M. Utilisation of Gas and Weakly-caking Coals in Blends AUTHORS: of the Eastern Works (Ispol'zovaniye gazovykh i slabospekayushchikhsya ugley v shikhtakh vostochnykh zavodov) TITLE: Koks i Khimiya, 1958, Nr 3, pp 3 - 5 (USSR). The possibility of increasing the proportion of gas PERIODICAL: and weakly-caking coals in blends used on the Eastern Coke ABSTRACT: Oven Works and the choice of correct blends which are able to accommodate 40-60% of the above coals were investigated. Blends containing gas coals were prepared by a preferential grinding on a pilot plant, VUKhIN. The composition of experimental blends is given in Tables 1 and 3, from which it can be seen that gas coals were repacing fat and wellcaking coals. The method of preferential grinding is described in some detail. Coking was done on a semi-industrial plant; the results obtained are given in Tables 2 and 4. Conclusions: preferential grinding of blends containing 40-60% of gas coals considerably improves the strength of coke (by 12-28 kg) providing that the blends possess sufficient caking ability (y > 15 mm). However, despite a considerable increase in coke strength by preferential grinding, the latter Cardl/2 cannot secure the production of coke similar in strength to

Utilisation of Gas and Weakly-caking Coals in Blends of the Eastern 68-58-3-1/22

that of current production. Further increase in the coke strugth can be obtained by applying preferential grinding and stamp charging. The results obtained should be confirmed by trials under industrial conditions. There are 4 tables.

ASSOCIATION: VUKhIN

Card 2/2

68-58-6-2/21

AUTHORS: Zolotukhin, A. I., Candidate of Technical Science,

Lazovskiy, I. M. and Filyashin, K. Ya.

A Method of Automatic Determination and Control of the Moisture Content of Coal Charge (Metod avtomatichesko60 opredeleniya i regulirovaniya vlazhnosti ugolinoy shikhty) TITLE:

PERIODICAL: Koks i Khimiya, 1958, Nr 6, pp 6-10 (USSR)

Ca

ABSTRACT: An instrument is described for continuous determination of moisture content in the coal blend based on a condenser pick-up, the capacity of which depends on the dielectric permeability of the blend, the latter depending mainly on the moisture content. The instrument, in conjunction with water sprays, the operation of which is related to the moisture meter, can be used for maintaining a constant moisture content of the blend. The meter was developed by VUKhIN and its operation was tested on the Magnitogorsk Metallurgical Combines with satisfactory results. It is pointed out that the size distribution of a coal blend and its moisture content are the main factors governing its bulk density. However, the influence of size distribution is comparatively small, so that by maintaining distribution is comparatively small, the bulk density

SOV/24-58-6-31/35 Gryaznov N.S., Lazovskiy I.M. and Felidbrin M.G.

(Sverdlovsk)

Contribution to the Theory of Coke Formation in Connection TITLE:

with the Selective Grinding of Coals (K teorii formirovaniya koksa v svyaze s izbiratel'nym izmel'cheniyem

ugley)

AUTHORS:

PERIODICAL: Izvestiya Akademii Nauk SSSR, Otdeleniye tekhnicheskikh

Nauk, 1958, Nr 6, pp 144-148 (ÚSSR)

ABSTRACT: Laboratory and semi-production coking test results with selective grinding of coal have shown that at Eastern

coke plants more gas and weakly caking coals can be used and coke quality with normal coals improved. The authors deal first with the structural (crack-free) strength of coke, tabulating (Table 1) results which show that it is reduced by selective grinding. Other results (Table 2) indicate that the viscosity of the coal mix on softening rises, the effect being obtained (Table 3) when petrographically homogeneous coals are ground. The authors

discuss the increase in internal friction of the plastic mass which occurs with all coals as the coal-grain Card 1/3

surfaces are opened up. The decrease in charge bulk

SOV/24- 58-6-31/35

Contribution to the Theory of Coke Formation in Connection with the Selective Grinding of Coals

density produced by selective grinding leads to higher porosity and this, together with the poorer caking, accounts for the deleterious effect of such grinding on structural strength. The authors consider next the lump strength of coke, showing (Table 1) that this increases with selective grinding. They attribute this to the greater petrographic and size uniformity and consequent reduction of internal stresses. Finally the authors summarize the effects of selective grinding for various types of charge: coke stability is improved when a low-stability coke is otherwise obtained from strongly caking coals; with charges containing a high proportion of gas coals a strong coke is not obtained; a relatively small improvement in coke strength is obtained with charges which normally give a medium-shatter, structurally strong

Card 2/3

Contribution to the Theory of Coke Formation in Connection with

coke; strong coke is not obtained with low-caking charges normally giving a highly abrading coke. For selective grinding the authors recommend tamping of the

There are 5 tables and 6 references (5 Soviet, 1 French)

SUBMITTED: July 16, 1957

Card 3/3

SOV/68-58-9-2/21 AUTHORS Lazovskiy, I.M., Bogoyavlenskiy, V.V., and Fel'dbrin, M.G. TITLE: Averaging Coals and the Choice of the Type of Coal Stockyard for Modern Coking Works (Usredneniye ugley i vybor tipa ugol'nogo sklada dlya sovremennogo koksokhimicheskogo PERIODICAL: Koks i Khimiya, 1958, Nr 9, pp 6-9 (USSR) ABSTRACT: During the All-Union Conference of the Workers of the Coking industry the following permissible deviations (from mean) for coke quality were established: drum tests + 4kg, sulphur ± 0.05, ash ± 0.3%. impose the following limits for variation in the proximate analysis of coal blends: ash ± 0.3%, sulphur ± 0.05%, To obtain the above degree of stability in the properties of coal blends, averaging of coals on stockyards and blending plants is necessary. Using methods of statistical analysis the authors discuss the necessary blending facilities for various examples of coking works supplied with a different number of coal types with a given variability in properties of coal from Card 1/2 the individual deliveries. It is concluded that for

Averaging Coals and the Choice of the Type of Coal Stockyard for

works supplied from nearby coal mines with a uniform in quality coal (ash ± 0.6, volatiles ± 2.0) the construction of bunker installations serving simultaneously for averaging and blending coals is recommended. For works situated far from the supplying base and obtaining coals from a large number of mines the construction of a stock yard for averaging coals as distinct from the blending there is 1 table, and 4 references (3 Soviet and 1 English)

ASSOCIATION: VUKhIN

Card 2/2

"APPROVED FOR RELEASE: 03/13/2001 CIA-RDP86-00513R000928930001-9

	pli) Reaching an appropriately should mixed (Writing Service) Mail 16, Lington M. of Philaing Sens. A. A Servicing Teaching and Artifacts) Sensor, Meningtons, 1999, 20 p. 2,000 Mail 26, Lington M. of Philaing Sens. A. A Servicing Teach of Sensor of Sens	
Signal Control		

· Commence of the second of th SOV/68-59-6-2/25 AUTHORS: Lazovskiy, I.M., Gryaznov, N.S., Felidbrin, M.G. (VUKhIN), Pakhalok, I.F., Poputnikov, F.A., Yurenkov, N.I. and Lyamin, I.N. (VNIIUglebog shcheniye) TITLE: Preparation of Coal Blend by Air Ellutriation with Crushing of Large and Heavy Particles (Podgotovka ugol'nykh shikht vozdushnoy separatsiyey s drobleniyem krupnykh i tyazhelykh chastits) PERIODICAL: Koks i Khimiya, 1959, Nr 6, pp 5-8 (USSR) ABSTRACT: The use of air ellutriation in the preparation of coal blends by preferential crushing is proposed. The method consists in that a coal or a coal blend of a size 25-0 mm is air ellutriated in a pipe, so that 3.0 mm size fraction is removed by the air stream and the 25-3 mm fraction is crushed and again air ellutriated. A pilot plant installation erected for this purpose (fig) and some experimental results obtained are described. blends used on one of the Eastern coking works were used for experiments. Size distributions of coal blends and quality of coke obtained by the usual crushing and preferential crushing with and without air ellutriation Card 1/2 are shown in Tables 1 and 2. It was found that the use of air ellutriation decreases the proportion of dust

SOV/68-59-6-2/25 Preparation of Coal Blend by Air Ellutriation with Crushing of Large and Heavy Particles

(0.42 - 0 mm) by 5.3% and the distribution of ash between the individual size fraction is more uniform (ash content of larger particles is somewhat lower than that of fine fractions) and the coke obtained (on a pilot plant) was stronger than from blends prepared by preferential crushing without air ellutriation. design and construction of a large scale experimental plant for preferential crushing with air ellutriation in a closed cycle is recommended.

Card 2/2 There are 1 figure, 2 tables and 5 Soviet references.

GRYAZ MOV, M.S.; LAZOVSKIY, I.M.; FEL'DBRIN, M.G.

Increasing the use of gas coal in coking oven charges in eastern plants. Ugol' 34 no.4:60-62 Ap '59. (MIRA 12:7)

1. Vostochnyy uşlekhimicheskiy institut. (Ural Mountain region--Coke ovens)

DOIDE, M.V.; KAGASOV, V.M.; FOMIN, A.P.; IAZOVSKIY, I.M.

Extent and method of filling silos as factors affecting the accuracy of proportioning the components of coal charges.

Koks i khim. no.2:16-18 '60. (MIRA 13:5)

1. Chelyabinskiy metallurgicheskiy zavod (for Donde, Kagasov, Fomin). 2. Vostochnyy uglekhimicheskiy institut (for Lazovskiy). (Coal--Carbonization)

GRYAZNOV, N.S.; LAZOVSKIY, I.M.; FFL'DBRIN, M.G.; KORENSKIY, V.I.

Preparing coal for coking by the method of pneumatic and mechanical separation. Koks i khim. no.8:4-6 '61. (MIRA 15:1)

1. Vostochnyy uglekhimicheskiy institut. (Goal) (Coke)

FEL DBRIN, M.G.; LAZOVSKIY, I.M.

Quality of coke in foreign countries. Koks i khim. no.7:52-59
'63.

1. Vostochnyy uglekhimicheskiy institut.

(Coke)

GRYAZNOV, N.S.; LAZOVSKIY, I.M.; FEL'DERIN, M.G.

Coal preparation for coking by means of preliminary heating and efficient crushing. Koks i khim. no.11:10-12 '62.

(MIRA 15:12)

1. Vostochnyy uglekhimicheskiy institut.

(Coal preparation)

KANAVETS, P.I.; MELENT'YEV, P.N.; YENIK, G.I.; IVLEVA, A.S.;
LAZOVSKIY, I.M.; GRYAZNOV, N.S.; MOCHALOVA, G.V.; KORENSKIY, V.I.

Preliminary granulating of coal charges with rolling in mazut.

Koks i khim. no.8:10-14 '63. (MIRA 16:9)

1. Institut goryuchikh iskopayenykh AN SSSR (for Kunavets, Melent'yev, Yenik, Ivleva). 2. Vostochnyy uglekhimicheskiy institut (for Lazovskiy, Gryaznov, Mochalova, Korenskiy).

(Coal preparation)

TSIPEROVICH, M.V., doktor tekhn.nauk; LAZOVSKIY, I.M., kand.tekhn.nauk; FEL'DERIN, M.G., kand.tekhn.nauk

Review of A.A.Agroskin and A.K.Shelkov's book "Expansion of the resources of coking coals." Koks i khim. no.9:63-64 '63.

(MIRA 16:9)

(Coke) (Agroskin, A.A.) (Shelkov, A.K.)

MIROSHNICHENKO, A.M., kand. tekhn. nauk; PANCHENKO, S.I., doktor tekhn. nauk; SHTROMHERG, B.I., kand. tekhn. nauk; FRISHBERG, V.D., kand. tekhn. nauk; BAYDALINOV, P.A., inzh.; CRYAZNOV, N.S., doktor tekhn. nauk; ZASHKVARA, V.G., doktor tekhn. nauk; LAZOVSKIY, I.M., kard. tekhn. nauk; MARINICHEV, B.T., inzh.; FEL'DBRIII, M.G., kand. tekhn. nauk; BAKUN, N.A., inzh.; BARATS, B.M., inzh.; VOZNYY, G.F., kand. tekhn. nauk; MIKHAL'CHUK, A.M., inzh.; TOPORKOV, V.Ya., kand. tekhn. nauk; FLORINSKIY, N.V., inzh.; KHAYET, A.N., inzh.; SHELKOV, A.K., inzh., red.; ARONOV, S.G., doktor tekhn.nauk, red.; PREOBRAZHENSKIY, P.I., inzh., red.

[Manual for coke chemists in six volumes] Spravochnik koksokhimika v shesti tomakh. Moskva, Izd-vo "Metallurgiia." Vol.1.
[Source of raw materials and preparation of coal for coking]
Syr'evaia baza i podgotovka uglei k koksovaniiu. 1964. 490 p.
(MIRA 17:5)

HagerSMiy, I. V. — Gaml. Veterinary Ref.

Discertation: "Addicate of air of Game and Evenestine Measure in No. 3 Theripy and Stair Ferri of Felconcein." ATH-Miss Common in Proceedings to air Accumulation V. T.

Shryalin, 17 Jun 47.

SC: Vecherrove Macker, Jun, 3127 (implest givens)